

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: DAVID & CONNIE KREUTZER Operator Well No. FRENCH 1602

LOCATION: Elevation: 1132.35 Quadrangle: HERALD WV 7 1/2
District: BIRCH County: BRAXTON
Latitude: _____ Feet South of 38 Deg. 35 Min. 52.9 Sec.
Longitude: _____ Feet West of -80 Deg. 47 Min. 21.2 Sec.

Well Type: OIL _____ GAS XX

Company HAYDEN & HAPER KA, LLC Coal Operator _____
1001 Moorehead Sq. Dr. Suite 305 or Owner _____
Charlotte, NC 28203 _____
Agent BRETT MCDONOUGH Coal Operator _____
Permit Issued Date 01/09/2014 or Owner _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of WOOD ss:

PATCHWORK OIL & GAS, LLC and ROGER L. WHITED being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 25th day of March, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
8 5/8	SURFACE	813'	NONE	813'
4 1/2	SURFACE	880'	880'	880'-2107'
PLUG 1	SURFACE	102'		
FRESHWATER	284	415'		
CASING RIP	752'	932'		
ELEVATION	1080'	1185'		
BOTTOM PLUG	1680'	2030'		

Description of monument: WELL NAME, API, DATE PLUGGED, COMPANY and that the work of plugging and filling said well was completed on the 25 day of MARCH, 2014.


And further deponents saith not. PATCHWORK OIL & GAS, LLC

Sworn and subscribe before me this 25 day of MARCH, 2014

My commission expires: AUGUST 7, 2019

Notary Public

Affidavit reviewed by the Office of Oil and Gas: Supervisor Title: Inspector



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIS E. & PATTY R. ANDERSON
Lease or Property Owner
403 LONG DRAIN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5546
Well No.
BEATTY, J.L.
Farm

STATE INSPECTOR SUPERVISING PLUGGING

Bill Flacher 5-102-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

... MIKE CAMPBELL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3rd day of April, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Cleaned 12 1/4" hole from the surface to 251'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 251' to 778'. Tagged top of 8 5/8" casing at 778'. Removed 259' of 8 5/8" casing from 778' to 1037'. Continued to clean 9 7/8" hole from 778' to 1037'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1037' to 1422'. Tagged solid plug at 1422'. Left 156' of 8 5/8" casing in the hole from 1037' to 1193'. Cut remaining 8 5/8" casing at the following depth: 1102'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 789' to 796'. <u>Cemented hole from 1422' back to surface as follows:</u> From 1422' to 996' with 360 sacks of Expandable Cement. From 996' to 689' with 155 sacks of Thixotropic Cement with Dye. From 689' to the Surface with 80 sacks of Expandable Cement. A total of 595 sacks of cement were used to fill the hole from 1422' back to surface. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.	16" Conductor	0'	20'	
		<div>RECEIVED Office of Oil & Gas MAY 19 2014 WV Department of Environmental Protection</div>		
Coal Seams				
Pittsburgh	(789' - 796')			
		Description of Monument		
		77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 24th day of April, 2014

And further deponents saith not.


Mike Campbell
Mike Campbell

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 9th day of May 2014

Kara Beth Forst
Notary Public

... My commission expires: 11/4/23



Permit No. 47-049-02289-P
Well No. 5546

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.

Coal Operator or Owner

1 BRIDGE ST. MONONGAH WV 26554
Address

CONSOLIDATION COAL CO.

Coal Operator or Owner

1 BRIDGE ST. MONONGAH WV 26554
Address

CONSOLIDATION COAL CO.

Lease or Property Owner

1 BRIDGE STREET MONONGAH, WV 26582
Address

CONSOLIDATION COAL CO.

Name of Well Operator

1 BRIDGE ST. MONONGAH, WV 26554

Complete Address

GLOVER GAP 7.5'

Well Location

MANNINGTON

District

MARION

County

5120B

Well No.

BAKER, MARGT A

Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of April, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 267'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 267' to 1051'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 916' to 923'. Tagged top of 8 5/8" casing at 1051'. Removed 73' of 8 5/8" casing from 1051' to 1124'. Continued to clean 9 7/8" hole from 1051' to 1124'. Left 234' of 8 5/8" casing in the hole from 1124' to 1358'. Cut remaining 8 5/8" casing at the following depth: 1254'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1124' to 1869'.		16" Conductor 8 5/8" Casing	0' 73'	20' 234'
<u>Cemented hole from 1869' to the surface as follows:</u> From 1869' to 1123' with 160 sacks of Expandable Cement. From 1123' to 816' with 160 sacks of Thixotropic Cement with Dye. From 816' to surface with 425 sacks of Expandable Cement. A total of 745 sacks of cement were used to cement the hole from 1869' to the surface. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	916' to 923'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 28th day of April, 2014.

And further deponents saith not.

Sworn to and subscribed before me this 12th day of May 2014


My commission expires: 11/4/23

Roger Moore
Roger Moore

Kevin S. Wright
Kevin S. Wright

Kara Beth Forst
Notary Public

Permit No. 47-49-02291-P
Well No. 5120B



RECEIVED
Office of Oil & Gas

MAY 19 2014

WV Department of
Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE ST. MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
MANNINGTON 7.5'
Well Location
MANNINGTON
District
MARION
County
3951A
Well No.
ROBERTS, DAVID T.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bob Flanigan* 5-162-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 6th day of April, 2014 and that the well was plugged in the following manner:

Formation		Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 ¼" hole from Surface to 383'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 383' to 1128'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1128' to 1132'. Reduced hole to 6 ¼". Cleaned 6 ¼" hole from 1132' to 1142'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 850' to 856'. <u>Cemented hole from 1142' back to the Surface as follows:</u> From 1142' to 1056' with 35 sacks of Expandable Cement. From 1056' to 750' with 185 sacks of Thixotropic Cement with dye. From 750' to the Surface with 420 sacks of Expandable Cement. Cement did circulate at the surface. Left 18' of 16" conductor casing in the hole from the surface to 17'.			16" Conductor	0'	18'
Coal Seams		Description of Monument			
<u>PITTSBURGH</u>	850' to 856'	77" of 7" casing w/company name, well number,			
(Name)		permit number and date cemented stated on 7"			
(Name)		casing. Well marker will be attached to the			
(Name)		cement plug at ground level.			

... And that the work of plugging and filling said well was completed on the 16th day of April, 2014.

And further deponents saith not.

Mike Mitchell
Mike Mitchell


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 12th day of May 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-02297-P
Well No. 3951A



RECEIVED
Office of Oil & Gas

MAY 19 2014

WV Department of

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE STREET, MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5336
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING Bill Heckard 5-12-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MIKE MITCHELL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 18th day of April, 2014 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed all 2 3/8" tubing from the surface to 14'. Cleaned 12 1/4" hole from the surface to 325'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 325' to 1178'. Tagged top of 8 5/8" casing at 1178'. Cleaned inside of 8 5/8" casing with 7 7/8" bit from 1178' to 1359'. Continued cleaning 7 7/8" hole from 1359' to 1390'. Tag solid plug at 1390'. Left 181' of 8 5/8" casing in the hole from 1178' to 1359'. Cut remaining 8 5/8" casing at the following depth: 1263'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 901' to 908'.	16" Conductor 8 5/8" Casing 2 3/8" Tubing	0' 0' 14'	18' 181' 0'	
<u>Cemented hole from 1390' back to surface as follows:</u> From 1390' to 1108' with 73 sacks of Expandable Cement. From 1108' to 801' with 155 sacks of Thixotropic Cement with Dye. From 801' to the surface with 455 sacks of Expandable Cement. A total of 683 sacks of cement were used to fill the hole from 1390' back to surface. Cement did circulate at the surface. Left 18' of 16" conductor casing in the hole from the surface to 18'.		RECEIVED Office of Oil & Gas MAY 19 2014 WV Department of -Environmental Protection		
Coal Seams		Description of Monument		
Pittsburgh	(901' - 908')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 1st day of May, 2014

And further deponents saith not.


Mike Mitchell
Mike Mitchell

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 12th day of May 2014

Kara Beth Forst
Notary Public

My commission expires: 11/4/23



Permit No. 47-049-02301-P
Well No. 5336

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
MARK A. & CARRIE A. HENDERSHOT
Lease or Property Owner
7017 CARRIAGE LANE FAIRMONT, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5062
Well No.
HENDERSHOT, MARK A. & CAR
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

BRETT HOWELL and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 15th day of April, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 385'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 385' to 1149'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 746' to 752'. Tagged top of 8 5/8" casing at 1148'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1148' to 1278' inside of 8 5/8" casing. Continue to clean 6 1/4" hole from 1278' to 2005'. Tagged solid plug at 2005'. Left 130' of 8 5/8" casing in the hole from 1148' to 1278'.		16" Conductor 8 5/8" Casing	0' 0'	20' 130'
<u>Cemented hole from 2005' to the surface as follows:</u> From 2005' to 976' with 245 sacks of Expandable Cement. From 976' to 631' with 205 sacks of Thixotropic Cement with Green Dye. From 631' to the surface with 375 sacks of Expandable Cement. Cement did circulate at the surface. Left 20' of 16" conductor casing in the hole from the surface to 20'.				
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	<u>746' to 752'</u>	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 25th day of April, 2014.

And further deponents saith not.

Brett Howell
Brett Howell

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 13th day of May 2014


Kara Beth Forst
Notary Public

My commission expires: 11/6/23

Permit No. 47-49-02306-P
Well No. 5062

RECEIVED
Office of Oil & Gas

MAY 19 2014



WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: TCO FEE TR 4 Operator Well No.: 806895
LOCATION: Elevation: 999' Quadrangle: TRACE, WV 7.5
District: HARVEY County: MINGO
Latitude: (N) 37.9380396°
Longitude: (W) 82.2432244°

Well Type: OIL _____ GAS ☒

Company CHESAPEAKE APPALACHIA, LLC Coal Operator ARGUS ENERGY, WV, LLC
PO BOX 18496 or Owner 9104 TWELVE POLE CREEK RD.
OKLAHOMA CITY, OK DUNLOW, WV 25511
73154-0496 Coal Operator SOUTHERN REGION INDUSTRIAL REALTY, INC.
Agent ERIC B. GILLESPIE or Owner THREE COMMERCIAL PLACE
Permit Issued Date 2-21-2014 NORFOLK, VA 23510

AFFIDAVIT LAUREL CREEK COMPANY
PO. BOX 16429
BRISTOL, VA 24209

STATE OF WEST VIRGINIA,
County of POWELL ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 25TH day of FEBRUARY, 2014 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1870'	1760'		
CEMENT	1760'	1600'		
CEMENT	1500'	1400'		
CEMENT	1170'	1070'	950' OF 7"	493' OF 7"
CEMENT	950'	850'		
CEMENT	830'	700'		
CEMENT	630'	530'		
CEMENT	175'	0'		

Description of monument: 7" CASING 36" ABOVE GROUND W/ API TAG and that the work of plugging and filling said well was completed on the 12TH day of MARCH, 2014.

And further deponents saith not.

Richard Moore
Grover Butler

Sworn and subscribe before me this 17th day of April, 2014

My commission expires Feb 16, 2019

Notary Public



OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC

Erica J. Moore
PO Box 252
Spencer, WV 25276

My Commission Expires Feb. 16, 2019

Affidavit reviewed by the Office of Oil and Gas:

Title: inspector OOG

API # 47-5900307

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: TCO FEE TR 4 Operator Well No.: 806 896

LOCATION: Elevation: 1475' Quadrangle: TRACE, WV 7.5'
District: HARVEY County: MINGO
Latitude: (N) 37.9447145°
Longitude: (W) 82.2458222°

Well Type: OIL _____ GAS ☒

Company CHESAPEAKE APPALACHIA, LLC Coal Operator ARGUS ENERGY WV, LLC
PO BOX 18496 or Owner 9104 TWELVE POLE CREEK ROAD
OKLAHOMA CITY, OK DUNLOW, WV 25511
73154-0496 Coal Operator SOUTHERN REGION INDUSTRIAL REALTY, INC.
Agent ERIC B. GILLESPIE or Owner THREE COMMERCIAL PLACE
Permit Issued Date 2-21-2014 NORFOLK, VA 23150

STATE OF WEST VIRGINIA,
County of ROANE ss:

AFFIDAVIT LAUREL CREEK COMPANY
P.O. BOX 16429
BRISTOL, VA 24209

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14TH day of MARCH, 2014 and the well was plugged and filled in the following manner: RECEIVED
Office of Oil and Gas

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	2140'	2040'		MAY 20 2014
CEMENT	1980'	1880'		
CEMENT	1050'	950'	1040' OF 7"	893' OF 7"
CEMENT	840'	740'		
CEMENT	700'	600'		
CEMENT	420'	320'		
CEMENT	150'	0'		

Description of monument: 7" CASING 36' ABOVE GROUND W/ API TAG and that the work of plugging and filling said well was completed on the 25TH day of MARCH, 2014.

And further deponents saith not.

Richard R Moore
Grover Butler

Sworn and subscribe before me this 17th day of April, 2014

My commission expires: Feb 16, 2019

Notary Public



OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Erica J. Moore
PO Box 252
Spencer, WV 25276
My Commission Expires Feb. 16, 2019

Affidavit reviewed by the Office of Oil and Gas: [Signature]

Title: inspector OOG

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508

FRED & DORTHY E. FOREMAN
Lease or Property Owner
441 WEST MAIN STREET, GRAFTON, WV 26354

ICG TYGART VALLEY, LLC
Name of Well Operator
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508

Complete Address
THORNTON (638)
Well Location
KNOTTSVILLE
District
TAYLOR
County
J-1218
Well No.
FOREMAN, FRED
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by ICG Tygart Valley, LLC well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 17th day of April, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Removed all 1 1/2" tubing from the surface to 4526.50'. Cleaned 3 7/8" hole from the surface to 5218'. Tagged solid plug at 5218'. Set bottom hole plug from 5218' to 2528' with 155 sacks of Expandable Cement with Gas Blocker additive. Removed 2528' of 4 1/2" casing from the surface to 2528'. Left approximately 2830.5' of 4 1/2" casing in the hole from 2528' to ~5358.5' due to cement bond. (Casing depth taken from previous well record.) Cleaned 7 7/8" hole from the surface to 2528'. Tagged top of bottom hole plug at 2528'. Cement hole from 2528' to 1142' with 350 sacks of Expandable Cement. Section Mill 8 5/8" casing from 712' to 740'. Section Mill 8 5/8" casing through the Lower Kittanning Coal seam from 722' to 727'. Left 712' of 8 5/8" casing in the hole from the surface to 712' and 390' of 8 5/8" casing from 740' to 1130' due to cement bond.		16" Casing	0'	6'
		8 5/8" Casing	0'	1102'
		4 1/2" Casing	2528'	~2830.5'
		1 1/2" Tubing	4526.5'	0'
Cemented hole from 1142' back to surface as follows: From 1142' to 600' with 160 sacks of Thixotropic Cement with Green Dye. From 600' to the surface with 155 sacks of Expandable Cement. A total of 820 sacks of cement were used to cement the hole from 5218' to the surface. Cement did circulate at the surface. Left 6' of 16" conductor casing in the hole from the surface to 6'.				
Coal Seams		Description of Monument		
LOWER KITTANNING	722' to 727'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 5th day of May, 2014

And further deponents saith not.

Sworn to and subscribed before me this 9th day of May 2014

My commission expires: 11/4/23

Russell Smallwood
Russell Smallwood

Kevin S. Wright
Kevin S. Wright


Kara Beth Forst
Notary Public

Permit No. 47-91-00495-P
Well No. J-1218

RECEIVED
Office of Oil & Gas

MAY 19 2014

WV Department of
Environmental Protection



ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Address
COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Address
ICG TYGART VALLEY, LLC
Lease or Property Owner
2708 CRANBERRY SQUARE, MORGANTOWN, WV 26508
Address

ICG TYGART VALLEY, LLC
Name of Well Operator
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Complete Address
THORNTON (638)
Well Location
KNOTTSVILLE
District
TAYLOR
County
D. WILSON 4
Well No.
ICG TYGART VALLEY, LLC
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of **MONONGALIA** ss:

RUSSELL SMALLWOOD and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by ICG Tygart Valley, LLC well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 1st day of April, 2014 and that the well was plugged in the following manner:


Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Removed all 1 1/2" tubing from the surface to 4532'. Cleaned 3 1/2" hole inside 4 1/2" casing from the surface to 4537'. Tagged solid plug at 4537'. Set bottom hole plug from 4537' to 1865' with 170 sacks of Expandable Cement with Gas Blocker additive. Removed 1865' of 4 1/2" casing from the surface to 1865'. Left 2697' of 4 1/2" casing in the hole from 1865' to 4562'. (Casing depth taken from previous well record.) Cleaned 7 7/8" hole from the surface to 1865'. Tagged top of bottom hole plug at 1865'. Section Mill 8 5/8" casing from 700' to 730'. Section Mill 8 5/8" casing through the Lower Kittanning Coal seam from 710' to 716'. Left 700' of 8 5/8" casing in the hole from the surface to 700' and 365' of 8 5/8" casing from 730' to 1095'. Left 21' of 11 1/2" casing in the hole from the surface to 21'.		16" Casing	0'	10'
		11 1/2" Casing	0'	21'
		8 5/8" Casing	0'	1065'
		4 1/2" Casing	1865'	~2697'
<u>Cemented hole from top of bottom hole plug at 1865' back to surface as follows:</u> From 1865' to 1116' with 150 sacks Expandable Cement. From 1116' to 610' with 155 sacks of Thixotropic Cement with dye. From 610' to the surface with 145 sacks of Expandable Cement. A total of 620 sacks of cement were used to cement the hole from 4537' to the surface. Cement did circulate at the surface. Left 10' of 16" conductor casing in the hole from the surface to 10'.				
Coal Seams		Description of Monument		
LOWER KITTANNING	710' to 716'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... And that the work of plugging and filling said well was completed on the 16th day of April, 2014

And further deponents saith not.

Sworn to and subscribed before me this 5th day of May 2014

My commission expires: 11/4/23



Russell Smallwood
Russell Smallwood
Kevin S. Wright
Kevin S. Wright
Kara Beth Forst
Notary Public

Permit No. 47-91-00988-P
Well No. **D. WILSON 4**

RECEIVED
Office of Oil & Gas

MAY 19 2014

WV Department of
-Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: CUB CREEK COAL CO. Operator Well No.: A-5-1380

LOCATION: Elevation: 1207 Quadrangle: GILBERT 7.5
District: HUFF CREEK County: WYOMING
Latitude: 4155161 Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: 428827 Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company EQT PRODUCTION CO.
120 PROFESSIONAL PLACE
BRIDGEPORT, WV 26330

Coal Operator M/M GHD LANDS INC.
or Owner PO BOX 545, 202 WELK COURT
SUMMERSVILLE, WV 26651

Agent JOHN DAMATO
Permit Issued Date 3-26-2014

Coal Operator NONE
or Owner _____
RECEIVED
Office of Oil & Gas

AFFIDAVIT

MAY 22 2014

STATE OF WEST VIRGINIA,
County of WYOMING ss:

HAROLD HALE and ROGER McCOMAS

do hereby depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14th day of April, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1195	1000		
CEMENT	817	600	0	672 10-3/4
CEMENT	315	SURFACE	PERF 10-3/4 247 TO 243	PERF 10-3/4 247 TO 243
			PERF 10-3/4 98 TO 87	PERF 10-3/4 35 TO 34
			PERF 10-3/4 15 TO 14	

Description of monument: ERECT MONUMENT WITH API 47-109-00627 and that the work of plugging and filling said well was completed on the 2nd day of MAY, 2014.


And further deponents saith not.

Roger McComas
Oswald Wiley

Sworn and subscribe before me this 10th day of May, 2014

My commission expires: 2/10/2015

Daniel N. Bays
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

[Signature]

Title: WV DEP O & Gas
Insp.

109.01472

API # 49-109
-01472

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator their respective addresses.

Farm name: PINNACLE LAND COMPANY, LLC Operator Well No.: PLC #33

LOCATION: Elevation: 1835.66 Quadrangle: PINEVILLE 7 1/2 SERIES
District: CENTER County: WYOMING
Latitude: 8390 Feet South of 37 Deg. 32 Min. 0 Sec.
Longitude: 3830 Feet West of 81 Deg. 35 Min. 0 Sec.

Well Type: OIL _____ GAS X

Company	<u>PINNACLE LAND COMPANY, LLC</u>	Coal Operator	<u>PINNACLE LAND COMPANY, LLC</u>
	<u>P.O BOX 338</u>	or Owner	<u>P.O Box 338</u>
	<u>PINEVILLE, WV 24874</u>		<u>PINEVILLE, WV24874</u>
Agent	<u>BRETT MCDONOUGH</u>	Coal Operator	_____
Permit Issued Date	<u>04/22/2014</u>	or Owner	_____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of WOOD ss:

PATCHWORK OIL & GAS, LLC and ROGER L. WHITED being first duly sworn according to law and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above well operator, and participated in the work of plugging and filling the above well say that said work was commenced the 9 day of MAY, 2014, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED
9 5/8	SURFACE	406'	NONE
7	SURFACE	1088'	1088'
4 1/2	SURFACE	1370'	1370'
PLUG	811'	1235'	
ELEVATION & CASING RFP	1285'	1934'	
BOTTOM PLUG	2199'	2701'	

Description of monument: WELL NAME, API, DATE PLUGGED, COMPANY and that the work of plugging and said well was completed on the 9 day of MAY, 2014.

And further deponents saith not.


PATCHWORK OIL & GAS, LLC

Sworn and subscribe before me this 15 day of May, 2014

My commission expires: AUGUST 7, 2014

Notary Public

Affidavit reviewed by the Office of Oil and Gas:



Title: WV DEP Oil & Gas Info.